

ARKANSAS DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

Internet bids for the construction of the following jobs will be received by the Arkansas Department of Transportation at the **STATE HIGHWAY BUILDING** located at **10324 INTERSTATE 30**, southwest of **LITTLE ROCK, ARKANSAS**, until **ten o'clock a.m., (10:00 a.m.) and until one thirty p.m., (1:30 p.m.), June 29, 2022.** Bids will be posted on the Department's website at <http://www.ardot.gov/divisions/program-management/construction-contract-development/construction-contractors/currently-advertised-projects> once the downloading process has been completed.

BIDS FOR THE FOLLOWING PROJECTS ARE DUE AT 10:00 A.M.

JOB NO.	JOB NAME
A20004	WINCHESTER – CHICOT CO. LINE (SEL. SECS.) (S)
A40018	HWY. 71 – HWY. 10 (GREENWOOD) (S)
A60016	I-40 – MILITARY DR. (S)
A70012	EAST OF LAFAYETTE CO. LINE – HWY. 98 (S)
101010	SPENCER CREEK STR. & APPRS. (S)
012227	GUY – HEBER SPRINGS (SAFETY IMPVTS.) (SEL. SECS.) (S)
012408	DISTRICTS 4, 8 & 9 BRIDGE PRESERVATION (2022) (S)
C76064	MCCASKILL & MURFREESBORO OVERLAY & SURFACING (S)
C76065	GILLHAM, GRANNIS, & HATFIELD OVERLAY (S)
SA0143	HWY. 44 – SOUTH (OVERLAY) (S)
SA2547	FULTON CO. OVERLAY NO. 3 (S)
SA3277	INDEPENDENCE CO. OVERLAY NO. 6 (S)
SA5350	PERRY CO. LEVEL & RESEAL (S)

BIDS FOR THE FOLLOWING PROJECTS ARE DUE AT 1:30 P.M.

JOB NO.	JOB NAME
A20013	MONTICELLO – HWY. 65 (S)
050347	HWY. 9 STRS. & APPRS. (S)
A70014	FRANKLIN CREEK – HWY. 278 (WARREN) (S)
A80017	HWY. 124 – S. OF GREENBRIER (SEL. SECS.) (S)
A90012	HWY. 65 – HWY. 7 (HARRISON) (S)
012388	STATEWIDE CABLE MEDIAN BARRIER IMPVTS. (2022) (S)
012392	HYDRODEMOLITION BRIDGE PRESERVATION (2022) (S)
C26006	MOUNTAIN PINE OVERLAY NO. 2 (S)
C66004	HORATIO & LOCKESBURG OVERLAY (S)
SA3548	CO. RD. 31 OVERLAY (S)
SA5031	HWY. 371 – WEST (OVERLAY & SURF.) (S)
SA7397	WHITE COUNTY OVERLAY NO. 5 (S)

Plans, Proposal Documents, and Specifications may be purchased in the Program Management Division at the address noted above during regular business hours until 4:30 the day before the time established for opening of Proposals.

To become an eligible bidder, prospective bidders must be registered to bid in Arkansas with Bid Express. Prospective bidders must also contact the Program Management Division at (501) 569-2261 during regular business hours (or via email at pmd@ardot.gov) between the date the project is advertised and 4:30 p.m. on the day prior to the scheduled bid opening to request to become eligible to bid specific projects. Only prequalified contractors or their authorized representative may request to become an eligible bidder.

Questions pertaining to projects during the advertisement period should be addressed to the Program Management Division at pmd@ardot.gov. The deadline to submit a question is the Wednesday prior to the scheduled letting date. A question submitted after the close of business on the Wednesday prior to the scheduled letting date may not receive a response.

In order to have a bid considered, contractors must furnish a proposal guaranty consisting of either a bidder's bond or a certified or cashier's check in the amount of five percent (5%) of the total amount bid. In order for a bond to be acceptable to the Department, the company issuing the bond must be named in the Department of Treasury Listing of companies holding Certificates of Authority as acceptable sureties on Federal Bonds and as acceptable reinsuring companies. The Underwriting Limitation of the bonding company shall be adhered to. Any excess (between the face amount of the Bond and the Underwriting Limitation) shall be protected by reinsurance provided by an acceptable reinsuring company.

A current directory of certified DBE firms may be obtained on the Department's web site at <https://www.ardot.gov/divisions/equal-employment-opportunity-disadvantaged-business-enterprise/dbe> or may be requested by calling the Department's EEO-DBE Section at (501) 569-2259 or the Program Management Division, Construction Contract Development Section at (501) 569-2261.

It is suggested that successful bidders utilize to the fullest extent practicable the facilities and services of the local offices of the Arkansas Department of Workforce Services to meet their manpower requirements.

These contracts are subject to normal prequalification, licensing and bonding requirements, applicable labor laws, non-discrimination provisions, wage rate laws and other Federal laws including the Fair Labor Standards Acts of 1938. The Work Hours Act of 1962 and Title VI of the Civil Rights Act of 1964 also apply.

The Arkansas Department of Transportation complies with all civil rights provisions of federal statutes and related authorities that prohibited discrimination in programs and activities receiving federal financial assistance. Therefore, the Department does not discriminate on the basis of race, sex, color, age, national origin, religion, or disability, in the admission, access to and treatment in Department's programs and activities, as well as the Department's hiring or employment practices. Complaints of alleged discrimination and inquiries regarding the Department's nondiscrimination policies may be directed to Joanna P. McFadden, Section Head - EEO/DBE (ADA/504/Title VI Coordinator), P. O. Box 2261, Little Rock, AR 72203, (501) 569-2298, (Voice/TTY 711), or the following email address: joanna.mcfadden@ardot.gov.

This notice is available from the ADA/504/Title VI Coordinator in large print, on audiotape and in Braille.

The Department reserves the right to reject any or all bids and to waive any formalities.

BY AUTHORITY OF

ARKANSAS STATE HIGHWAY COMMISSION

Robert S. Moore, Jr., Chairman

NOTICE TO ALL BIDDERS

TO REPORT BID RIGGING ACTIVITIES CALL:

1-800-424-9071

The United States Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities.

The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

ARKANSAS DEPARTMENT OF TRANSPORTATION

A20004

WINCHESTER – CHICOT CO. LINE (SEL. SECS.) (S)

FEDERAL AID PROJECT ACNHPP-2122(2)

THE PURPOSE OF THIS PROJECT IS TO PRESERVE THE EXISTING ROADWAY AND TO PROVIDE A NEW WEARING COURSE ON APPROXIMATELY 12.971 MILES OF HIGHWAY 65 IN DESHA AND DREW COUNTIES. THIS PROJECT CONSISTS OF FOUR PAVING ALTERNATES, THREE USING HOT-IN-PLACE ASPHALT CONCRETE WITH AN OVERLAY OF: 1) ACHM SURFACE COURSE (3/8"), OR 2) MICROSURFACING, OR 3) ULTRATHIN BONDED WEARING COURSE OR THE FOURTH ALTERNATE 4) MILL AND OVERLAY WITH ACHM SURFACE COURSE (1/2"). IN ADDITION TO THE ALTERNATE ITEMS, THIS PROJECT CONSISTS OF AGGREGATE BASE COURSE, COLD MILLING ASPHALT PAVEMENT, ACHM PATCHING OF EXISTING ROADWAY, MAINTENANCE OF TRAFFIC, RUMBLE STRIPS, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: 65

SECTIONS: 18 & 19

COUNTY: DESHA & DREW

LENGTH: 12.971 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

PROPOSAL ITEMS - BID ALL ITEMS IF PAVING ALTERNATE 1 (HIR WITH ACHM SURFACE COURSE) CHOSEN

216001	SCARIFY & RECOMPACT.SHLDRS.	18,600.00	SQYD
303107	AGGR.BASE COURSE(CLASS 7)	6,348.00	TON
401011	TACK COAT	29,684.00	GAL
402600	ASPHALT EMULSION	178,931.00	GAL
407161	MA IN ACHM SURFACE(3/8")	30,508.00	TON
407431	AB(PG64-22)ACHM SURF(3/8")	7.00	TON
407441	AB(PG70-22)ACHM SURF(3/8")	1,906.00	TON
407953	HOT IN-PLACE RECYCLED ASPHALT CONCRETE	455,488.00	SQYD
412002	COLD MILLING ASPHALT PVMT.	7,850.00	SQYD
415011	ACHM PATCH.EXIST.RDWY.	325.00	TON
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	840.00	SQFT
604041	CONST.PAVEMENT MARKINGS	183,377.00	LF
642001	RUMBLE STRIPS IN ASPHALT SHOULDERS	191,808.00	LF
719002	THERMO.PVMT.MARK.WH(6")	177,662.00	LF
719005	THERMO.PVMT.MARK.WH(12")	295.00	LF
719102	THERMO.PVMT.MARK.YL(6")	149,037.00	LF
719105	THERMO.PVMT.MARK.YL(12")	525.00	LF
719201	THERMO.PVMT.MARK.(WORD)	12.00	EACH
719202	THERMO.PVMT.MARK.(ARROW)	10.00	EACH
721002	RAISED PAVEMENT MARKERS-2	2,267.00	EACH

PROPOSAL ITEMS - BID ALL ITEMS IF PAVING ALTERNATE 2 (HIR WITH MICROSURFACING) CHOSEN

216001	SCARIFY & RECOMPACT.SHLDRS.	18,600.00	SQYD
303107	AGGR.BASE COURSE(CLASS 7)	3,348.00	TON
401011	TACK COAT	29,400.00	GAL
402600	ASPHALT EMULSION	178,931.00	GAL
407953	HOT IN-PLACE RECYCLED ASPHALT CONCRETE	455,488.00	SQYD
415011	ACHM PATCH.EXIST.RDWY.	325.00	TON
418301	MICROSURFACING	587,595.00	SQYD
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	840.00	SQFT
604041	CONST.PAVEMENT MARKINGS	183,377.00	LF

642001	RUMBLE STRIPS IN ASPHALT SHOULDERS	191,808.00	LF
719002	THERMO.PVMT.MARK.WH(6")	177,662.00	LF
719005	THERMO.PVMT.MARK.WH(12")	295.00	LF
719102	THERMO.PVMT.MARK.YL(6")	149,037.00	LF
719105	THERMO.PVMT.MARK.YL(12")	525.00	LF
719201	THERMO.PVMT.MARK.(WORD)	12.00	EACH
719202	THERMO.PVMT.MARK.(ARROW)	10.00	EACH
721002	RAISED PAVEMENT MARKERS-2	2,267.00	EACH

PROPOSAL ITEMS - BID ALL ITEMS IF PAVING ALTERNATE 3 (HIR WITH ULTRATHIN BONDED WEARING COURSE) CHOSEN

216001	SCARIFY & RECOMPACT.SHLDRS.	18,600.00	SQYD
303107	AGGR.BASE COURSE(CLASS 7)	3,348.00	TON
402112	MINERAL AGGR.IN A.S.T.(CL2)	2,978.00	TON
402202	POLY.MOD.CAT.EMULS.ASPH(CRS2P)	68,070.00	GAL
402600	ASPHALT EMULSION	178,931.00	GAL
407902	ULTRATHIN BONDED WEARING CRS (5/8"-TY B)	417,113.00	SQYD
407953	HOT IN-PLACE RECYCLED ASPHALT CONCRETE	455,488.00	SQYD
412002	COLD MILLING ASPHALT PVMT.	5,400.00	SQYD
415011	ACHM PATCH.EXIST.RDWY.	325.00	TON
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	840.00	SQFT
604041	CONST.PAVEMENT MARKINGS	183,377.00	LF
642001	RUMBLE STRIPS IN ASPHALT SHOULDERS	191,808.00	LF
719002	THERMO.PVMT.MARK.WH(6")	177,662.00	LF
719005	THERMO.PVMT.MARK.WH(12")	295.00	LF
719102	THERMO.PVMT.MARK.YL(6")	149,037.00	LF
719105	THERMO.PVMT.MARK.YL(12")	525.00	LF
719201	THERMO.PVMT.MARK.(WORD)	12.00	EACH
719202	THERMO.PVMT.MARK.(ARROW)	10.00	EACH
721002	RAISED PAVEMENT MARKERS-2	2,267.00	EACH

PROPOSAL ITEMS - BID ALL ITEMS IF PAVING ALTERNATE 4 (MILL AND OVERLAY) CHOSEN

216001	SCARIFY & RECOMPACT.SHLDRS.	18,600.00	SQYD
303107	AGGR.BASE COURSE(CLASS 7)	3,348.00	TON
401011	TACK COAT	99,852.00	GAL
407162	MA IN ACHM SURFACE(1/2")	61,315.00	TON
407442	AB(PG70-22)ACHM SURF(1/2")	3,295.00	TON
412002	COLD MILLING ASPHALT PVMT.	587,365.00	SQYD
415011	ACHM PATCH.EXIST.RDWY.	325.00	TON
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	840.00	SQFT
604041	CONST.PAVEMENT MARKINGS	183,377.00	LF
642001	RUMBLE STRIPS IN ASPHALT SHOULDERS	191,808.00	LF
719002	THERMO.PVMT.MARK.WH(6")	177,662.00	LF
719005	THERMO.PVMT.MARK.WH(12")	295.00	LF
719102	THERMO.PVMT.MARK.YL(6")	149,037.00	LF
719105	THERMO.PVMT.MARK.YL(12")	525.00	LF
719201	THERMO.PVMT.MARK.(WORD)	12.00	EACH
719202	THERMO.PVMT.MARK.(ARROW)	10.00	EACH
721002	RAISED PAVEMENT MARKERS-2	2,267.00	EACH

MOBILIZATION

601001	MOBILIZATION	1.00	L.S.
--------	--------------	------	------

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT ON OR BEFORE December 16, 2022.

THE PERCENTAGE GOAL FOR DISADVANTAGED BUSINESS ENTERPRISE (DBE) PARTICIPATION IN THIS PROJECT IS 2.0%.

ARKANSAS DEPARTMENT OF TRANSPORTATION

A20013

MONTICELLO – HWY. 65 (S)

FEDERAL AID PROJECT STPF-0022(42)

THE PURPOSE OF THIS PROJECT IS TO LEVEL AND OVERLAY WITH ACHM SURFACE COURSE AND ADD 2'-0" SHOULDERS ON APPROXIMATELY 23.202 MILES OF HIGHWAY 138, NORTH OF MONTICELLO, IN DREW COUNTY. THIS PROJECT CONSISTS OF REMOVAL AND DISPOSAL OF GUARDRAIL, SOIL STABILIZATION, TRENCHING AND SHOULDER PREPARATION, AGGREGATE BASE COURSE, ACHM BINDER AND SURFACE COURSES, COLD MILLING ASPHALT PAVEMENT, ACHM PATCHING OF EXISTING ROADWAY, APPROACH GUTTERS, MAINTENANCE OF TRAFFIC, GUARDRAIL, EROSION CONTROL, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: 138

SECTIONS: 3

COUNTY: DREW

LENGTH: 23.202 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

202132	R&D OF GUARDRAIL	2,456.00	LF
210702	SOIL STABILIZATION	50.00	TON
215001	TRENCH.AND SHOULDER PREP.	1,219.00	STA
303107	AGGR.BASE COURSE(CLASS 7)	10,549.00	TON
401011	TACK COAT	59,590.20	GAL
406161	M.A. IN ACHM BINDER(1")	11,394.00	TON
406402	A.B.(PG64-22)ACHM BINDER(1")	524.00	TON
407161	MA IN ACHM SURFACE(3/8")	30,965.00	TON
407431	AB(PG64-22)ACHM SURF(3/8")	1,941.00	TON
412002	COLD MILLING ASPHALT PVMT.	1,778.00	SQYD
414011	ASPH.CONC.PATCH-MAINT.	50.00	TON
415011	ACHM PATCH.EXIST.RDWY.	1,500.00	TON
504262	APPROACH GUTTERS	407.50	CUYD
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	592.00	SQFT
604041	CONST.PAVEMENT MARKINGS	491,631.00	LF
617005	GUARDRAIL (TYPE A)	4,500.00	LF
617312	GUARDRAIL TERMINAL (TYPE 2)	36.00	EACH
617332	THRIE BEAM GUARDRAIL TERMINAL	8.00	EACH
620001	LIME	11.00	TON
620011	SEEDING	5.63	ACRE
620022	MULCH COVER	11.26	ACRE
620030	WATER	689.20	MGAL
621001	TEMPORARY SEEDING	5.63	ACRE
621021	SILT FENCE	5,515.00	LF
621111	SEDIMENT REMOVAL & DISPOSAL	817.00	CUYD
621168	FILTER SOCK (12")	5,515.00	LF
718002	REFL.PAINT PVMT.MRK.WH(6")	244,633.00	LF
718102	REFL.PAINT PVMT.MRK.YL(6")	246,998.00	LF
718203	REFL.PAINT PVMT.MRK.(RR EMB.)	2.00	EACH
721002	RAISED PAVEMENT MARKERS-2	2,534.00	EACH
804003	REINF.STEEL-ROADWAY (GR 60)	34,742.00	LB

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT ON OR BEFORE October 27, 2023.

THE NUMBER OF TRAINEES REQUIRED FOR THIS PROJECT IS 1.

THE PERCENTAGE GOAL FOR DISADVANTAGED BUSINESS ENTERPRISE (DBE) PARTICIPATION IN THIS PROJECT IS 2.0%.

ARKANSAS DEPARTMENT OF TRANSPORTATION

A40018

HWY. 71 – HWY. 10 (GREENWOOD) (S)

FEDERAL AID PROJECT STPSC-9177(8)

THE PURPOSE OF THIS PROJECT IS TO MILL AND OVERLAY APPROXIMATELY 2.82 MILES OF HIGHWAY 10S, AT GREENWOOD, IN SEBASTIAN COUNTY. THIS PROJECT CONSISTS OF EARTHWORK, ACHM SURFACE COURSE, COLD MILLING ASPHALT PAVEMENT, ACHM PATCHING OF EXISTING ROADWAY, MAINTENANCE OF TRAFFIC, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: 10S

SECTIONS: 05

COUNTY: SEBASTIAN

LENGTH: 2.82 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

207001	STONE BACKFILL	100.00	TON
303107	AGGR.BASE COURSE(CLASS 7)	100.00	TON
401011	TACK COAT	11,197.00	GAL
407162	MA IN ACHM SURFACE(1/2")	6,845.00	TON
407442	AB(PG70-22)ACHM SURF(1/2")	375.00	TON
412002	COLD MILLING ASPHALT PVMT.	65,632.00	SQYD
414011	ASPH.CONC.PATCH-MAINT.	20.00	TON
415011	ACHM PATCH.EXIST.RDWY.	1,000.00	TON
601001	MOBILIZATION	1.00	L.S.
603010	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	552.00	SQFT
604041	CONST.PAVEMENT MARKINGS	35,434.00	LF
625031	GEOTEXTILE FABRIC (TYPE SPECIAL)	200.00	SQYD
718004	REFL.PAINT PVMT.MRK.WH(10")	150.00	LF
718104	REFL.PAINT PVMT.MRK.YL(10")	105.00	LF
719002	THERMO.PVMT.MARK.WH(6")	30,880.00	LF
719005	THERMO.PVMT.MARK.WH(12")	1,035.00	LF
719102	THERMO.PVMT.MARK.YL(6")	35,434.00	LF
719201	THERMO.PVMT.MARK.(WORD)	4.00	EACH
719202	THERMO.PVMT.MARK.(ARROW)	15.00	EACH
721002	RAISED PAVEMENT MARKERS-2	370.00	EACH
804013	REINF.STEEL-BRIDGE (GR 60)	100.00	LB
822003	BRIDGE DECK REPAIR	200.00	SQFT
822025	PENETRATING HEALER/SEALER	300.00	SQYD

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT ON OR BEFORE October 28, 2022.

THE PERCENTAGE GOAL FOR DISADVANTAGED BUSINESS ENTERPRISE (DBE) PARTICIPATION IN THIS PROJECT IS 2.0%.

ARKANSAS DEPARTMENT OF TRANSPORTATION

050347

HWY. 9 STRS. & APPRS. (S)

FEDERAL AID PROJECT BFP-0025(21)

THE PURPOSE OF THIS PROJECT IS TO REPLACE FOUR STRUCTURES ON HIGHWAY 9 IN FULTON COUNTY. THIS PROJECT CONSISTS OF CLEARING AND GRUBBING, REMOVAL AND DISPOSAL ITEMS, EARTHWORK, AGGREGATE BASE COURSE, ACHM BINDER AND SURFACE COURSES, COLD MILLING ASPHALT PAVEMENT, ACHM PATCHING OF EXISTING ROADWAY, APPROACH SLABS AND GUTTERS, MAINTENANCE OF TRAFFIC, MINOR DRAINAGE ITEMS, CONCRETE DITCH PAVING, GUARDRAIL, EROSION CONTROL, PAVEMENT MARKING, CONSTRUCT THREE QUAD R.C. BOX CULVERTS (TOTAL LENGTHS 72.36', 49.62, AND 56.68'), CONSTRUCT ONE INTEGRAL CONTINUOUS W-BEAM BRIDGE (TOTAL LENGTH 112.0'), AND MISC. ITEMS.

ROUTES: 9

SECTIONS: 14

COUNTY: FULTON

LENGTH: 1.425 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

201011	CLEARING	62.00	STA
201111	GRUBBING	62.00	STA
202012	R&D OF WIRE FENCE	9,317.00	LF
202013	R&D OF CHAIN LINK FENCE	99.00	LF
202017	R&D OF GATES	6.00	EACH
202072	R&D OF WALKS	6.00	SQYD
202096	R&D OF PIPE CULVERTS	9.00	EACH
202097	R&D OF BOX CULVERTS	1.00	EACH
202171	R&D OF BUILDINGS	1.00	EACH
202502	R&D OF GUARDRAIL	841.00	LF
205011	REMOV.EXIST.BR.STR.(SITE 1)	1.00	L.S.
205012	REMOV.EXIST.BR.STR.(SITE 2)	1.00	L.S.
205013	REMOV.EXIST.BR.STR.(SITE 3)	1.00	L.S.
205014	REMOV.EXIST.BR.STR.(SITE 4)	1.00	L.S.
210210	UNCLASSIFIED EXCAVATION	57,367.00	CUYD
210601	COMPACTED EMBANKMENT	41,524.00	CUYD
210672	REMOVING AND REPLACING TOPSOIL	6,000.00	CUYD
210702	SOIL STABILIZATION	50.00	TON
303107	AGGR.BASE COURSE(CLASS 7)	23,393.00	TON
401011	TACK COAT	3,428.00	GAL
406161	M.A. IN ACHM BINDER(1")	2,714.00	TON
406402	A.B.(PG64-22)ACHM BINDER(1")	122.00	TON
407162	MA IN ACHM SURFACE(1/2")	5,605.00	TON
407432	AB(PG64-22)ACHM SURF(1/2")	314.00	TON
412002	COLD MILLING ASPHALT PVMT.	1,956.00	SQYD
414011	ASPH.CONC.PATCH-MAINT.	36.00	TON
415011	ACHM PATCH.EXIST.RDWY.	250.00	TON
504021	APPROACH SLABS	89.84	CUYD
504263	APPROACH GUTTERS	43.44	CUYD
601001	MOBILIZATION	1.00	L.S.
602011	FURNISHING FIELD OFFICE	1.00	EACH
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
603018	18" TEMPORARY CULVERT	44.00	LF

603048	48" TEMPORARY CULVERT	340.00	LF
604003	SIGNS	919.00	SQFT
604013	BARRICADES	288.00	LF
604023	TRAFFIC DRUMS	159.00	EACH
604031	FURN.&INSTL.PRCST.CONC.BARR.	546.00	LF
604036	RELO.PRECAST CONCRETE BARRIER	286.00	LF
604041	CONST.PAVEMENT MARKINGS	66,471.00	LF
604051	REMOVABLE CONST.PVMT.MRK.	6,454.00	LF
604061	REMOVAL OF PERM.PVMT.MRK.	10,156.00	LF
604083	VERTICAL PANELS	66.00	EACH
605001	CONC.DITCH PAVING(TYPE A)	1,536.00	SQYD
605002	CONC.DITCH PAVING(TYPE B)	1,103.00	SQYD
605606	24" R.C.PIPE CULVERTS(CL.3)	78.00	LF
605608	24" R.C.PIPE CULVERTS(CL.4)	126.00	LF
605613	30" R.C.PIPE CULVERTS(CL.4)	69.00	LF
605858	24" FES R.C.PIPE CLVT.	6.00	EACH
605860	30" FES R.C.PIPE CLVT.	2.00	EACH
606703	18" SIDE DRAIN	378.00	LF
606738	22"X14" SIDE DRAIN	36.00	LF
606994	SELECTED PIPE BEDDING	100.00	CUYD
611008	4" PIPE UNDERDRAINS	4,000.00	LF
611013	UNDERDRAIN OUTLET PROTECTORS	16.00	EACH
615020	PVMT.REPAIR O/CLVT.(CONCRETE)	15.90	CUYD
617005	GUARDRAIL (TYPE A)	450.00	LF
617312	GUARDRAIL TERMINAL (TYPE 2)	4.00	EACH
617332	THRIE BEAM GUARDRAIL TERMINAL	4.00	EACH
619027	WIRE FENCE (TYPE C)	2,196.00	LF
619028	WIRE FENCE (TYPE D)	1,306.00	LF
619029	WIRE FENCE (TYPE D-1)	2,546.00	LF
620001	LIME	34.00	TON
620011	SEEDING	17.18	ACRE
620022	MULCH COVER	41.52	ACRE
620030	WATER	2,273.80	MGAL
621001	TEMPORARY SEEDING	24.34	ACRE
621021	SILT FENCE	11,486.00	LF
621031	SAND BAG DITCH CHECKS	1,210.00	BAG
621071	SEDIMENT BASIN	1,812.00	CUYD
621101	OBLITERATION OF SEDIMENT BASIN	1,812.00	CUYD
621111	SEDIMENT REMOVAL & DISPOSAL	2,341.00	CUYD
621151	ROCK DITCH CHECKS	201.00	CUYD
621169	FILTER SOCK (18")	3,153.00	LF
623001	SECOND SEEDING APPLICATION	17.18	ACRE
624001	SOLID SODDING	1,972.00	SQYD
626003	EROSION CONTROL MATTING-3	1,845.00	SQYD
635001	ROADWAY CONSTRUCTION CONTROL	1.00	L.S.
636001	BRIDGE CONSTRUCTION CONTROL	1.00	L.S.
637001	MAILBOXES	11.00	EACH
637011	MAILBOX SUPPORTS (SINGLE)	9.00	EACH
637012	MAILBOX SUPPORTS (DOUBLE)	1.00	EACH
719002	THERMO.PVMT.MARK.WH(6")	16,648.00	LF
719102	THERMO.PVMT.MARK.YL(6")	16,548.00	LF
721002	RAISED PAVEMENT MARKERS-2	269.00	EACH
801001	UNCLASS.EXCAV.FOR STRS-BR	163.00	CUYD
801101	UNCLASS.EXCAV.FOR STRS-RDWY.	50.00	CUYD

802011	CLASS 5 CONCRETE-ROADWAY	103.83	CUYD
802111	CLASS 5 CONCRETE-BRIDGE	99.20	CUYD
802122	CLASS S(AE) CONCRETE-BRIDGE	154.90	CUYD
803004	CLASS 2 PROTECTIVE SURFACE TREATMENT	531.10	SQYD
804003	REINF.STEEL-ROADWAY (GR 60)	28,673.00	LB
804013	REINF.STEEL-BRIDGE (GR 60)	14,510.00	LB
804023	EPOXY COAT.REINF.STEEL-GR 60	41,490.00	LB
805022	STEEL PILING (HP 12X53)	947.00	LF
805504	PREBORING	411.00	LF
807017	STR.ST.BM.SPANS(A709,GR50W)	50,750.00	LB
808002	ELASTOMERIC BEARINGS	6,549.00	CUIN
812004	BRIDGE NAME PLATE (TYPE D)	1.00	EACH
816003	FILTER BLANKET	518.00	SQYD
816111	DUMPED RIPRAP	272.00	CUYD
821074	SHORING (SITE NO. 3)	1.00	L.S.

4' CHAIN LINK FENCE ALTERNATE - BID ONE ITEM ONLY

619131	4' STEEL CHAIN LINK FENCE	96.00	LF
619224	4' ALUMINUM CHAIN LINK FENCE	96.00	LF

16' GATES ALTERNATE - BID ONE ITEM ONLY

619332	16' STEEL GATES	3.00	EACH
619430	16' ALUMINUM GATES	3.00	EACH

THIS PROPOSAL CONTAINS THE SPECIAL PROVISION "ESTABLISHING CONTRACT TIME - WORKING DAY CONTRACT" IN WHICH THE BIDDER WILL DETERMINE THE NUMBER OF WORKING DAYS TO COMPLETE THE PROJECT.

THE PERCENTAGE GOAL FOR DISADVANTAGED BUSINESS ENTERPRISE (DBE) PARTICIPATION IN THIS PROJECT IS 10.0%.

ARKANSAS DEPARTMENT OF TRANSPORTATION

A60016

I-40 – MILITARY DR. (S)

FEDERAL AID PROJECT NHPP-0060(68)

THE PURPOSE OF THIS PROJECT IS TO MILL AND OVERLAY APPROXIMATELY 7.751 MILES OF HIGHWAY 365, NEAR MAUMELLE, IN PULASKI COUNTY. THIS PROJECT CONSISTS OF TRENCHING AND SHOULDER PREPARATION, SCARIFYING AND RECOMPACTING SHOULDERS, AGGREGATE BASE COURSE, ACHM BINDER AND SURFACE COURSES, COLD MILLING ASPHALT PAVEMENT, ACHM PATCHING OF EXISTING ROADWAY, EROSION CONTROL, MAINTENANCE OF TRAFFIC, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: 365

SECTIONS: 11

COUNTY: PULASKI

LENGTH: 7.571 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

215001	TRENCH.AND SHOULDER PREP.	124.00	STA
216001	SCARIFY & RECOMPACT.SHLDRS.	5,984.00	SQYD
303107	AGGR.BASE COURSE(CLASS 7)	664.00	TON
401011	TACK COAT	23,495.00	GAL
406161	M.A. IN ACHM BINDER(1")	1,159.00	TON
406402	A.B.(PG64-22)ACHM BINDER(1")	50.00	TON
407162	MA IN ACHM SURFACE(1/2")	14,491.00	TON
407432	AB(PG64-22)ACHM SURF(1/2")	795.00	TON
412002	COLD MILLING ASPHALT PVMT.	132,709.00	SQYD
415011	ACHM PATCH.EXIST.RDWY.	190.00	TON
601001	MOBILIZATION	1.00	L.S.
603010	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	1,442.00	SQFT
604041	CONST.PAVEMENT MARKINGS	83,499.00	LF
617005	GUARDRAIL (TYPE A)	825.00	LF
617312	GUARDRAIL TERMINAL (TYPE 2)	7.00	EACH
620001	LIME	5.00	TON
620011	SEEDING	2.45	ACRE
620022	MULCH COVER	2.45	ACRE
620030	WATER	249.90	MGAL
621021	SILT FENCE	3,100.00	LF
621111	SEDIMENT REMOVAL & DISPOSAL	550.00	CUYD
621168	FILTER SOCK (12")	2,300.00	LF
621173	WATTLE (20")	3,000.00	LF
637001	MAILBOXES	117.00	EACH
637011	MAILBOX SUPPORTS (SINGLE)	103.00	EACH
637012	MAILBOX SUPPORTS (DOUBLE)	14.00	EACH
704036	LOOP WIRING CLASS III (1C/16 A.W.G.)	2,400.00	LF
719002	THERMO.PVMT.MARK.WH(6")	80,692.00	LF
719005	THERMO.PVMT.MARK.WH(12")	180.00	LF
719102	THERMO.PVMT.MARK.YL(6")	82,812.00	LF
719201	THERMO.PVMT.MARK.(WORD)	2.00	EACH
719202	THERMO.PVMT.MARK.(ARROW)	4.00	EACH
721002	RAISED PAVEMENT MARKERS-2	564.00	EACH
734011	BRIDGE END TERMINAL	1.00	EACH

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT ON OR BEFORE December 16, 2022.

THE PERCENTAGE GOAL FOR DISADVANTAGED BUSINESS ENTERPRISE (DBE) PARTICIPATION IN THIS PROJECT IS 3.0%.

ARKANSAS DEPARTMENT OF TRANSPORTATION

A70012

EAST OF LAFAYETTE CO. LINE – HWY. 98 (S)

FEDERAL AID PROJECT NHPP-0014(39)

THE PURPOSE OF THIS PROJECT IS TO OVERLAY WITH AN ULTRATHIN BONDED WEARING COURSE ON APPROXIMATELY 2.772 MILES OF HIGHWAY 82, WEST OF WALDO, IN COLUMBIA COUNTY. THIS PROJECT CONSISTS OF ULTRATHIN BONDED WEARING COURSE, COLD MILLING OF ASPHALT PAVEMENT, ACHM PATCHING OF EXISTING ROADWAY, MAINTENANCE OF TRAFFIC, RUMBLE STRIPS AND STRIPES, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: 82

SECTIONS: 3

COUNTY: COLUMBIA

LENGTH: 2.772 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

401011	TACK COAT	14,099.00	GAL
407902	ULTRATHIN BONDED WEARING CRS (5/8"-TY B)	82,935.00	SQYD
412002	COLD MILLING ASPHALT PVMT.	9,043.00	SQYD
415011	ACHM PATCH.EXIST.RDWY.	1,000.00	TON
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	442.00	SQFT
604041	CONST.PAVEMENT MARKINGS	43,020.00	LF
604061	REMOVAL OF PERM.PVMT.MRK.	43,020.00	LF
642001	RUMBLE STRIPS IN ASPHALT SHOULDERS	29,272.00	LF
642102	CENTERLINE RUMBLE STRIPES IN ASPH. RDWYS	1,373.00	LF
719002	THERMO.PVMT.MARK.WH(6")	31,771.00	LF
719102	THERMO.PVMT.MARK.YL(6")	11,249.00	LF
721002	RAISED PAVEMENT MARKERS-2	271.00	EACH

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT ON OR BEFORE October 28, 2022.

THE PERCENTAGE GOAL FOR DISADVANTAGED BUSINESS ENTERPRISE (DBE) PARTICIPATION IN THIS PROJECT IS 3.0%.

ARKANSAS DEPARTMENT OF TRANSPORTATION

A70014

FRANKLIN CREEK – HWY. 278 (WARREN) (S)

FEDERAL AID PROJECT STPF-0006(39)

THE PURPOSE OF THIS PROJECT IS TO MILL AND OVERLAY APPROXIMATELY 4.386 MILES OF HIGHWAY 63 AT WARREN IN BRADLEY COUNTY. THIS PROJECT CONSISTS OF ACHM SURFACE COURSES, COLD MILLING ASPHALT PAVEMENT, ACHM PATCHING OF EXISTING ROADWAY, MAINTENANCE OF TRAFFIC, RUMBLE STRIPS AND STRIPS, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: 63

SECTIONS: 16

COUNTY: BRADLEY

LENGTH: 4.386 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

401011	TACK COAT	19,874.00	GAL
407162	MA IN ACHM SURFACE(1/2")	12,282.00	TON
407442	AB(PG70-22)ACHM SURF(1/2")	7.00	TON
407452	AB(PG76-22)ACHM SURF(1/2")	571.00	TON
412002	COLD MILLING ASPHALT PVMT.	115,419.00	SQYD
415011	ACHM PATCH.EXIST.RDWY.	300.00	TON
601001	MOBILIZATION	1.00	L.S.
603010	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	908.00	SQFT
604041	CONST.PAVEMENT MARKINGS	68,970.00	LF
642001	RUMBLE STRIPS IN ASPHALT SHOULDERS	7,459.00	LF
642102	CENTERLINE RUMBLE STRIPES IN ASPH. RDWYS	23,163.00	LF
719002	THERMO.PVMT.MARK.WH(6")	19,952.00	LF
719005	THERMO.PVMT.MARK.WH(12")	1,614.00	LF
719102	THERMO.PVMT.MARK.YL(6")	47,404.00	LF
719201	THERMO.PVMT.MARK.(WORD)	8.00	EACH
719202	THERMO.PVMT.MARK.(ARROW)	28.00	EACH
719203	THERMO.PVMT.MARK.(RR EMB.)	2.00	EACH
721002	RAISED PAVEMENT MARKERS-2	501.00	EACH

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT ON OR BEFORE October 28, 2022.

ARKANSAS DEPARTMENT OF TRANSPORTATION

A80017

HWY. 124 – S. OF GREENBRIER (SEL. SECS.) (S)

FEDERAL AID PROJECT NHPP-0076(245)

THE PURPOSE OF THIS PROJECT IS TO LEVEL SELECT AREAS WITH ACHM SURFACE COURSE AND OVERLAY WITH ULTRATHIN BONDED WEARING COURSE APPROXIMATELY 14.591 MILES OF HIGHWAY 65, SOUTH OF GREENBRIER, IN FAULKNER AND VAN BUREN COUNTIES. THIS PROJECT CONSISTS OF AGGREGATE BASE COURSE, ACHM SURFACE COURSE, COLD MILLING OF ASPHALT PAVEMENT, ULTRATHIN BONDED WEARING COURSE, MAINTENANCE OF TRAFFIC, GUARDRAIL, EROSION CONTROL, RUMBLE STRIPS, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: 65

SECTIONS: 8 & 9

COUNTY: FAULKNER & VAN BUREN

LENGTH: 14.591 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

202132	R&D OF GUARDRAIL	1,700.00	LF
303308	AGGREGATE SURFACE COURSE (CLASS D-8)	72.00	TON
401011	TACK COAT	100,919.00	GAL
407161	MA IN ACHM SURFACE(3/8")	12,439.00	TON
407441	AB(PG70-22)ACHM SURF(3/8")	752.00	TON
407902	ULTRATHIN BONDED WEARING CRS (5/8"-TY B)	560,133.00	SQYD
412002	COLD MILLING ASPHALT PVMT.	51,633.00	SQYD
415011	ACHM PATCH.EXIST.RDWY.	500.00	TON
601001	MOBILIZATION	1.00	L.S.
603010	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	2,324.00	SQFT
604041	CONST.PAVEMENT MARKINGS	333,228.00	LF
604045	CONST.PAVEMENT MARKINGS (WORD)	2.00	EACH
604046	CONST.PAVEMENT MARKINGS (ARROW)	2.00	EACH
617005	GUARDRAIL (TYPE A)	1,325.00	LF
617312	GUARDRAIL TERMINAL (TYPE 2)	8.00	EACH
617332	THRIE BEAM GUARDRAIL TERMINAL	8.00	EACH
620001	LIME	1.00	TON
620011	SEEDING	0.20	ACRE
620022	MULCH COVER	0.40	ACRE
620030	WATER	23.90	MGAL
621001	TEMPORARY SEEDING	0.20	ACRE
621168	FILTER SOCK (12")	1,365.00	LF
642001	RUMBLE STRIPS IN ASPHALT SHOULDERS	64,078.00	LF
719002	THERMO.PVMT.MARK.WH(6")	105,818.00	LF
719003	THERMO.PVMT.MARK.WH(8")	1,365.00	LF
719005	THERMO.PVMT.MARK.WH(12")	80.00	LF
719102	THERMO.PVMT.MARK.YL(6")	227,410.00	LF
719201	THERMO.PVMT.MARK.(WORD)	2.00	EACH
719202	THERMO.PVMT.MARK.(ARROW)	2.00	EACH
721002	RAISED PAVEMENT MARKERS-2	4,914.00	EACH

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT ON OR BEFORE November 18, 2022.

THE PERCENTAGE GOAL FOR DISADVANTAGED BUSINESS ENTERPRISE (DBE) PARTICIPATION IN THIS PROJECT IS 3.0%.

ARKANSAS DEPARTMENT OF TRANSPORTATION

A90012

HWY. 65 – HWY. 7 (HARRISON) (S)

FEDERAL AID PROJECT STPC-9191(10)

THE PURPOSE OF THIS PROJECT IS TO OVERLAY APPROXIMATELY 1.788 MILES OF HIGHWAY 43, WITH APPROXIMATELY 1.019 MILES OF SHOULDER WIDENING, AT HARRISON IN BOONE COUNTY. THIS PROJECT CONSISTS OF TRENCHING AND SHOULDER PREPARATION, AGGREGATE BASE COURSE, ACHM BINDER AND SURFACE COURSES, COLD MILLING OF ASPHALT PAVEMENT, ACHM PATCHING OF EXISTING ROADWAY, MAINTENANCE OF TRAFFIC, LOOP WIRING, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: 43

SECTIONS: 3

COUNTY: BOONE

LENGTH: 2.807 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

215001	TRENCH.AND SHOULDER PREP.	48.00	STA
303107	AGGR.BASE COURSE(CLASS 7)	88.00	TON
401011	TACK COAT	6,865.00	GAL
406161	M.A. IN ACHM BINDER(1")	235.00	TON
406412	A.B.(PG70-22)ACHM BINDER(1")	11.00	TON
407162	MA IN ACHM SURFACE(1/2")	4,057.00	TON
407442	AB(PG70-22)ACHM SURF(1/2")	223.00	TON
412002	COLD MILLING ASPHALT PVMT.	8,076.00	SQYD
415011	ACHM PATCH.EXIST.RDWY.	50.00	TON
601001	MOBILIZATION	1.00	L.S.
603010	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	780.00	SQFT
604041	CONST.PAVEMENT MARKINGS	38,775.00	LF
604045	CONST.PAVEMENT MARKINGS (WORD)	4.00	EACH
604046	CONST.PAVEMENT MARKINGS (ARROW)	5.00	EACH
704036	LOOP WIRING CLASS III (1C/16 A.W.G.)	1,430.00	LF
719002	THERMO.PVMT.MARK.WH(6")	19,544.00	LF
719005	THERMO.PVMT.MARK.WH(12")	37.00	LF
719102	THERMO.PVMT.MARK.YL(6")	19,231.00	LF
719201	THERMO.PVMT.MARK.(WORD)	4.00	EACH
719202	THERMO.PVMT.MARK.(ARROW)	5.00	EACH

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT WITHIN TWENTY (20) WORKING DAYS.

THE PERCENTAGE GOAL FOR DISADVANTAGED BUSINESS ENTERPRISE (DBE) PARTICIPATION IN THIS PROJECT IS 2.0%.

ARKANSAS DEPARTMENT OF TRANSPORTATION

101010

SPENCER CREEK STR. & APPRS. (S)

FEDERAL AID PROJECT NHPP-006(21)

THE PURPOSE OF THIS PROJECT IS REPLACE ONE STRUCTURE ON HIGHWAY 115 IN RANDOLPH COUNTY. THIS PROJECT CONSISTS OF CLEARING AND GRUBBING, REMOVAL AND DISPOSAL ITEMS, EARTHWORK, AGGREGATE BASE COURSE, ACHM BINDER AND SURFACE COURSES, COLD MILLING ASPHALT PAVEMENT, ACHM PATCHING OF EXISTING ROADWAY, MAINTENANCE OF TRAFFIC, MINOR DRAINAGE, EROSION CONTROL, RUMBLE STRIPS, PAVEMENT MARKING, CONSTRUCT ONE TRIPLE R.C. BOX CULVERT (36.17'), AND MISC. ITEMS.

ROUTES: 115

SECTIONS: 1

COUNTY: RANDOLPH

LENGTH: 36.17 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

201011	CLEARING	12.00	STA
201111	GRUBBING	12.00	STA
202011	R&D OF FENCE	1,346.00	LF
202017	R&D OF GATES	2.00	EACH
202096	R&D OF PIPE CULVERTS	2.00	EACH
205011	REMOV.EXIST.BR.STR.(SITE 1)	1.00	L.S.
210210	UNCLASSIFIED EXCAVATION	8,895.00	CUYD
210601	COMPACTED EMBANKMENT	6,157.00	CUYD
210702	SOIL STABILIZATION	50.00	TON
303107	AGGR.BASE COURSE(CLASS 7)	2,814.00	TON
401011	TACK COAT	528.00	GAL
406161	M.A. IN ACHM BINDER(1")	429.00	TON
406402	A.B.(PG64-22)ACHM BINDER(1")	18.00	TON
407162	MA IN ACHM SURFACE(1/2")	826.00	TON
407432	AB(PG64-22)ACHM SURF(1/2")	44.00	TON
412002	COLD MILLING ASPHALT PVMT.	1,115.00	SQYD
414011	ASPH.CONC.PATCH-MAINT.	6.00	TON
415011	ACHM PATCH.EXIST.RDWY.	20.00	TON
601001	MOBILIZATION	1.00	L.S.
602011	FURNISHING FIELD OFFICE	1.00	EACH
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
603018	18" TEMPORARY CULVERT	32.00	LF
603060	60" TEMPORARY CULVERT	300.00	LF
604003	SIGNS	282.00	SQFT
604013	BARRICADES	64.00	LF
604023	TRAFFIC DRUMS	44.00	EACH
604041	CONST.PAVEMENT MARKINGS	9,300.00	LF
604055	REMOVAL OF CONST.PVMT.MRK.	793.00	LF
604061	REMOVAL OF PERM.PVMT.MRK.	573.00	LF
604083	VERTICAL PANELS	8.00	EACH
606703	18" SIDE DRAIN	34.00	LF
606722	24"X18" SIDE DRAIN	32.00	LF
606994	SELECTED PIPE BEDDING	50.00	CUYD
619027	WIRE FENCE (TYPE C)	265.00	LF
619028	WIRE FENCE (TYPE D)	864.00	LF

619029	WIRE FENCE (TYPE D-1)	333.00	LF
620001	LIME	6.00	TON
620011	SEEDING	2.94	ACRE
620022	MULCH COVER	5.82	ACRE
620030	WATER	359.10	MGAL
621001	TEMPORARY SEEDING	2.88	ACRE
621021	SILT FENCE	3,138.00	LF
621071	SEDIMENT BASIN	129.00	CUYD
621101	OBLITERATION OF SEDIMENT BASIN	129.00	CUYD
621111	SEDIMENT REMOVAL & DISPOSAL	283.00	CUYD
621151	ROCK DITCH CHECKS	139.00	CUYD
623001	SECOND SEEDING APPLICATION	2.94	ACRE
624001	SOLID SODDING	37.00	SQYD
635001	ROADWAY CONSTRUCTION CONTROL	1.00	L.S.
642001	RUMBLE STRIPS IN ASPHALT SHOULDERS	894.00	LF
718002	REFL.PAINT PVMT.MRK.WH(6")	2,400.00	LF
718102	REFL.PAINT PVMT.MRK.YL(6")	2,400.00	LF
721002	RAISED PAVEMENT MARKERS-2	15.00	EACH
801101	UNCLASS.EXCAV.FOR STRS-RDWY.	130.00	CUYD
802011	CLASS S CONCRETE-ROADWAY	291.99	CUYD
804003	REINF.STEEL-ROADWAY (GR 60)	38,378.00	LB
816003	FILTER BLANKET	414.00	SQYD
816111	DUMPED RIPRAP	209.00	CUYD
<u>16' GATES ALTERNATE - BID ONE ITEM ONLY</u>			
619332	16' STEEL GATES	4.00	EACH
619430	16' ALUMINUM GATES	4.00	EACH

THIS PROPOSAL CONTAINS THE SPECIAL PROVISION "ESTABLISHING CONTRACT TIME - WORKING DAY CONTRACT" IN WHICH THE BIDDER WILL DETERMINE THE NUMBER OF WORKING DAYS TO COMPLETE THE PROJECT.

THE PERCENTAGE GOAL FOR DISADVANTAGED BUSINESS ENTERPRISE (DBE) PARTICIPATION IN THIS PROJECT IS 6.0%.

ARKANSAS DEPARTMENT OF TRANSPORTATION

012227

GUY – HEBER SPRINGS (SAFETY IMPVTS.) (SEL. SECS.) (S)

FEDERAL AID PROJECT HSIP-2312(1)

THE PURPOSE OF THIS PROJECT IS TO ADJUST SUPERELEVATION AND INSTALL TWO WAY LEFT TURN LANES, ULTRATHIN BONDED WEARING COURSE, AND RUMBLE STRIPES ON HIGHWAY 25 IN CLEBURNE AND FAULKNER COUNTIES. THIS PROJECT CONSISTS OF CLEARING AND GRUBBING, REMOVAL AND DISPOSAL ITEMS, EARTHWORK, AGGREGATE BASE COURSE, ACHM BASE, BINDER, AND SURFACE COURSES, ULTRATHIN BONDED WEARING COURSE, COLD MILLING ASPHALT PAVEMENT, ACHM PATCHING OF EXISTING ROADWAY, MAINTENANCE OF TRAFFIC, MINOR DRAINAGE, EROSION CONTROL, EXTEND A DOUBLE R.C. BOX CULVERT (23.23'), PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: 25

SECTIONS: 1 & 2

COUNTY: CLEBURNE & FAULKNER

LENGTH: 8.514 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

201011	CLEARING	19.00	STA
201111	GRUBBING	19.00	STA
202011	R&D OF FENCE	250.00	LF
202017	R&D OF GATES	2.00	EACH
202032	R&D OF RETAINING WALLS	10.00	LF
202042	R&D OF CONCRETE PAVEMENT	52.00	SQYD
202084	R&D OF SIGN FOUNDATIONS	15.00	EACH
202096	R&D OF PIPE CULVERTS	18.00	EACH
202099	R&D OF HEADWALLS	2.00	EACH
202153	R&D OF LUMINAIRE POLE & FOUNDATION	1.00	EACH
202187	R&D OF BILLBOARDS	2.00	EACH
202190	R&D OF CATTLE GUARD	1.00	EACH
202191	R&D OF SIGNS	8.00	EACH
203002	R&D OF U.G. STRG. TANK(751-1500)	1.00	EACH
210210	UNCLASSIFIED EXCAVATION	4,879.00	CUYD
210601	COMPACTED EMBANKMENT	3,385.00	CUYD
210702	SOIL STABILIZATION	200.00	TON
303107	AGGR.BASE COURSE(CLASS 7)	8,502.00	TON
401011	TACK COAT	3,950.00	GAL
406161	M.A. IN ACHM BINDER(1")	875.00	TON
406402	A.B.(PG64-22)ACHM BINDER(1")	41.00	TON
407162	MA IN ACHM SURFACE(1/2")	4,184.00	TON
407432	AB(PG64-22)ACHM SURF(1/2")	244.00	TON
407902	ULTRATHIN BONDED WEARING CRS (5/8"-TY B)	127,537.00	SQYD
412002	COLD MILLING ASPHALT PVMT.	2,414.00	SQYD
414011	ASPH.CONC.PATCH-MAINT.	200.00	TON
415011	ACHM PATCH.EXIST.RDWY.	200.00	TON
505001	P.C.CONCRETE DRIVEWAY	125.54	SQYD
601001	MOBILIZATION	1.00	L.S.
602011	FURNISHING FIELD OFFICE	1.00	EACH
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	1,475.00	SQFT
604023	TRAFFIC DRUMS	119.00	EACH

604031	FURN.&INSTL.PRCST.CONC.BARR.	80.00	LF
604036	RELO.PRECAST CONCRETE BARRIER	80.00	LF
604041	CONST.PAVEMENT MARKINGS	33,811.00	LF
604083	VERTICAL PANELS	141.00	EACH
605002	CONC.DITCH PAVING(TYPE B)	1,029.00	SQYD
605606	24" R.C.PIPES CULVERTS(CL.3)	48.00	LF
605608	24" R.C.PIPES CULVERTS(CL.4)	50.00	LF
605628	48" R.C.PIPES CULVERTS(CL.4)	60.00	LF
605858	24" FES R.C.PIPES CLVT.	4.00	EACH
605866	48" FES R.C.PIPES CLVT.	2.00	EACH
606703	18" SIDE DRAIN	470.00	LF
606704	24" SIDE DRAIN	278.00	LF
606721	21"X15" SIDE DRAIN	60.00	LF
606723	28"X20" SIDE DRAIN	52.00	LF
606994	SELECTED PIPE BEDDING	80.00	CUYD
611008	4" PIPE UNDERDRAINS	3,000.00	LF
611013	UNDERDRAIN OUTLET PROTECTORS	12.00	EACH
615022	PVMT.REPAIR O/CLVT.(ASPHALT)	43.00	TON
619029	WIRE FENCE (TYPE D-1)	205.00	LF
620001	LIME	19.00	TON
620011	SEEDING	9.31	ACRE
620022	MULCH COVER	14.52	ACRE
620030	WATER	1,065.10	MGAL
621001	TEMPORARY SEEDING	5.21	ACRE
621021	SILT FENCE	1,463.00	LF
621111	SEDIMENT REMOVAL & DISPOSAL	206.00	CUYD
621151	ROCK DITCH CHECKS	919.00	CUYD
623001	SECOND SEEDING APPLICATION	9.31	ACRE
624001	SOLID SODDING	713.00	SQYD
626003	EROSION CONTROL MATTING-3	963.00	SQYD
635001	ROADWAY CONSTRUCTION CONTROL	1.00	L.S.
637001	MAILBOXES	7.00	EACH
637011	MAILBOX SUPPORTS (SINGLE)	3.00	EACH
637012	MAILBOX SUPPORTS (DOUBLE)	2.00	EACH
642011	RUMBLE STRIPES IN ASPHALT SHOULDERS	4,118.00	LF
718002	REFL.PAINT PVMT.MRK.WH(6")	130.00	LF
718102	REFL.PAINT PVMT.MRK.YL(6")	102.00	LF
719002	THERMO.PVMT.MARK.WH(6")	94,942.00	LF
719102	THERMO.PVMT.MARK.YL(6")	90,474.00	LF
719201	THERMO.PVMT.MARK.(WORD)	2.00	EACH
719202	THERMO.PVMT.MARK.(ARROW)	4.00	EACH
721002	RAISED PAVEMENT MARKERS-2	595.00	EACH
731071	TEMP. IMPACT ATTN. BARR.	1.00	EACH
731072	TEMP. IMPACT ATTN. BARRIER (REPAIR)	2.00	EACH
731075	TEMP. IMPACT ATTENUATION BARRIER (RELO)	1.00	EACH
801101	UNCLASS.EXCAV.FOR STRS-RDWY.	32.00	CUYD
802011	CLASS S CONCRETE-ROADWAY	68.77	CUYD
804003	REINF.STEEL-ROADWAY (GR 60)	7,859.00	LB

16' GATES ALTERNATE - BID ONE ITEM ONLY

619332	16' STEEL GATES	1.00	EACH
619430	16' ALUMINUM GATES	1.00	EACH

THIS PROPOSAL CONTAINS THE SPECIAL PROVISION "ESTABLISHING CONTRACT TIME - WORKING DAY CONTRACT" IN WHICH THE BIDDER WILL DETERMINE THE NUMBER OF WORKING DAYS TO COMPLETE THE PROJECT.

THE PERCENTAGE GOAL FOR DISADVANTAGED BUSINESS ENTERPRISE (DBE) PARTICIPATION IN THIS PROJECT IS 10.0%.

ARKANSAS DEPARTMENT OF TRANSPORTATION

012388

STATEWIDE CABLE MEDIAN BARRIER IMPVTS. (2022) (S)

FEDERAL AID PROJECT HSIP-0076(258)

THE PURPOSE OF THIS PROJECT IS TO INSTALL CABLE MEDIAN BARRIER ON VARIOUS ROUTES IN VARIOUS COUNTIES. THIS PROJECT CONSISTS OF REMOVAL AND DISPOSAL ITEMS, EARTHWORK, AGGREGATE BASE COURSE (CLASS 7), ACHM SURFACE COURSE, GUARDRAIL, WIRE ROPE SAFETY FENCE, CONCRETE BARRIER WALL, MAINTENANCE OF TRAFFIC, EROSION CONTROL, AND MISC. ITEMS.

ROUTES: VARIOUS

SECTIONS: VARIOUS

COUNTY: VARIOUS

LENGTH: NO PROJECT LENGTH.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

202129	R&D OF WIRE ROPE SAFETY FENCE	380.00	LF
202132	R&D OF GUARDRAIL	310.00	LF
202133	R&D OF TERMINAL ANCHOR POSTS	3.00	EACH
202143	R&D OF IMPACT ATTEN.BARRIER	5.00	EACH
202507	R&D OF GUARDRAIL TERMINAL (TY 2)	2.00	EACH
210210	UNCLASSIFIED EXCAVATION	2,635.00	CUYD
210601	COMPACTED EMBANKMENT	1,170.00	CUYD
215001	TRENCH.AND SHOULDER PREP.	1,102.00	STA
303007	AGGR.BASE COURSE(CLASS 7)	11,651.00	CUYD
407162	MA IN ACHM SURFACE(1/2")	2,722.00	TON
407432	AB(PG64-22)ACHM SURF(1/2")	150.00	TON
601001	MOBILIZATION	1.00	L.S.
603010	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	1,331.00	SQFT
604023	TRAFFIC DRUMS	494.00	EACH
604071	ADVANCE WARNING ARROW PANEL	196.00	DAY
604078	PORT.CHANGEABLE MESSAGE SIGN	84.00	WEEK
605012	CONC.DITCH PAVING(TYPE B)	67,637.00	SQYD
617005	GUARDRAIL (TYPE A)	6,425.00	LF
617105	TERMINAL ANCHOR POSTS (TYPE 1)	23.00	EACH
617312	GUARDRAIL TERMINAL (TYPE 2)	21.00	EACH
617332	THRIE BEAM GUARDRAIL TERMINAL	1.00	EACH
618351	WIRE ROPE SAFETY FENCE	102,362.00	LF
618353	WIRE ROPE SAFETY FENCE MAINT. MATERIALS	1.00	L.S.
620001	LIME	9.50	TON
620011	SEEDING	4.75	ACRE
620022	MULCH COVER	9.50	ACRE
620030	WATER	864.30	MGAL
621001	TEMPORARY SEEDING	4.75	ACRE
621021	SILT FENCE	656.00	LF
621031	SAND BAG DITCH CHECKS	7,392.00	BAG
621051	DROP INLET SILT FENCE	3,689.00	LF
621111	SEDIMENT REMOVAL & DISPOSAL	743.00	CUYD
621169	FILTER SOCK (18")	23,660.00	LF
623001	SECOND SEEDING APPLICATION	4.75	ACRE
624001	SOLID SODDING	22,448.00	SQYD

635001

ROADWAY CONSTRUCTION CONTROL

1.00 L.S.

THIS PROPOSAL CONTAINS THE SPECIAL PROVISION "ESTABLISHING CONTRACT TIME - WORKING DAY CONTRACT" IN WHICH THE BIDDER WILL DETERMINE THE NUMBER OF WORKING DAYS TO COMPLETE THE PROJECT.

THE PERCENTAGE GOAL FOR DISADVANTAGED BUSINESS ENTERPRISE (DBE) PARTICIPATION IN THIS PROJECT IS 12.0%.

ARKANSAS DEPARTMENT OF TRANSPORTATION

012392

HYDRODEMOLITION BRIDGE PRESERVATION (2022) (S)

FEDERAL AID PROJECT BFP-0076(271)

THE PURPOSE OF THIS PROJECT IS TO REHABILITATE SEVERAL BRIDGES IN VARIOUS COUNTIES. THIS PROJECT CONSISTS OF HYDRODEMOLITION, LATEX MODIFIED CONCRETE OVERLAY, ACHM SURFACE COURSE, COLD MILLING ASPHALT PAVEMENT, MAINTENANCE OF TRAFFIC, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: VARIOUS

SECTIONS: VARIOUS

COUNTY: VARIOUS

LENGTH: 0.660 mile in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

401011	TACK COAT	1,127.00	GAL
407162	MA IN ACHM SURFACE(1/2")	692.00	TON
407432	AB(PG64-22)ACHM SURF(1/2")	38.00	TON
412002	COLD MILLING ASPHALT PVMT.	4,978.00	SQYD
509011	JOINT REHAB. (TYPE A)	421.00	LF
601001	MOBILIZATION	1.00	L.S.
603010	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	482.00	SQFT
604023	TRAFFIC DRUMS	111.00	EACH
604031	FURN.&INSTL.PRCST.CONC.BARR.	760.00	LF
604036	RELO.PRECAST CONCRETE BARRIER	760.00	LF
604051	REMOVABLE CONST.PVMT.MRK.	9,841.00	LF
604078	PORT.CHANGEABLE MESSAGE SIGN	65.00	WEEK
604083	VERTICAL PANELS	111.00	EACH
635001	ROADWAY CONSTRUCTION CONTROL	1.00	L.S.
636001	BRIDGE CONSTRUCTION CONTROL	1.00	L.S.
701603	PORTABLE TRAFFIC SIGNAL SYSTEM-ACTUATED	90.00	WEEK
718002	REFL.PAINT PVMT.MRK.WH(6")	2,605.00	LF
718102	REFL.PAINT PVMT.MRK.YL(6")	2,605.00	LF
719002	THERMO.PVMT.MARK.WH(6")	6,768.00	LF
719102	THERMO.PVMT.MARK.YL(6")	6,768.00	LF
721002	RAISED PAVEMENT MARKERS-2	56.00	EACH
802202	GROOVING	8,762.00	SQYD
802908	RAILING REPAIR	1.00	L.S.
802909	SURFACE PATCHING	155.00	SQFT
802910	SPALL REPAIR	440.00	SQFT
803005	CLASS 1 PROTECTIVE SURFACE TREATMENT	198.30	GAL
803007	CLASS 3 PROTECTIVE SURFACE TREATMENT	6,961.00	LF
804013	REINF.STEEL-BRIDGE (GR 60)	7,620.00	LB
809015	SILICONE JOINT SEALANT	1,864.00	LF
820031	HYDRODEMOLITION - CLASS 2	9,921.00	SQYD
822010	BRIDGE DECK REPAIR FOR LMC OVERLAYS	8,927.00	SQFT
822017	LATEX MOD. CONC. OVERLAY (1 1/2" THICK)	9,956.00	SQYD

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT ON OR BEFORE October 27, 2023.

ARKANSAS DEPARTMENT OF TRANSPORTATION

012408

DISTRICTS 4, 8 & 9 BRIDGE PRESERVATION (2022) (S)

FEDERAL AID PROJECT BFP-0076(268)

THE PURPOSE OF THIS PROJECT IS TO POLYMER OVERLAY 64 STRUCTURES ON VARIOUS ROUTES, IN VARIOUS COUNTIES. THIS PROJECT CONSISTS OF ACHM SURFACE COURSE, COLD MILLING ASPHALT PAVEMENT, BRIDGE DECK REPAIR FOR POLYMER OVERLAYS, POLYMER OVERLAY, MAINTENANCE OF TRAFFIC, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: VARIOUS

SECTIONS: VARIOUS

COUNTY: VARIOUS

LENGTH: NO PROJECT LENGTH.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

205301	REMOV. OF PLOWABLE PVMT. MARKER	10.00	EACH
401011	TACK COAT	242.00	GAL
407161	MA IN ACHM SURFACE(3/8")	51.00	TON
407162	MA IN ACHM SURFACE(1/2")	98.00	TON
407431	AB(PG64-22)ACHM SURF(3/8")	3.00	TON
407442	AB(PG70-22)ACHM SURF(1/2")	5.00	TON
412002	COLD MILLING ASPHALT PVMT.	1,524.00	SQYD
509011	JOINT REHAB. (TYPE A)	1,372.00	LF
601001	MOBILIZATION	1.00	L.S.
603010	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	1,623.00	SQFT
604013	BARRICADES	24.00	LF
604023	TRAFFIC DRUMS	418.00	EACH
604031	FURN.&INSTL.PRCST.CONC.BARR.	1,310.00	LF
604036	RELO.PRECAST CONCRETE BARRIER	2,950.00	LF
604051	REMOVABLE CONST.PVMT.MRK.	138,094.00	LF
604080	PORT.CHANGEABLE MESSAGE SIGN	185.00	EACH
604083	VERTICAL PANELS	105.00	EACH
636001	BRIDGE CONSTRUCTION CONTROL	1.00	L.S.
701603	PORTABLE TRAFFIC SIGNAL SYSTEM-ACTUATED	180.00	WEEK
718002	REFL.PAINT PVMT.MRK.WH(6")	2,844.00	LF
718102	REFL.PAINT PVMT.MRK.YL(6")	2,844.00	LF
719002	THERMO.PVMT.MARK.WH(6")	66,245.00	LF
719102	THERMO.PVMT.MARK.YL(6")	66,161.00	LF
721002	RAISED PAVEMENT MARKERS-2	683.00	EACH
804013	REINF.STEEL-BRIDGE (GR 60)	32,390.00	LB
804023	EPOXY COAT.REINF.STEEL-GR 60	29,660.00	LB
809015	SILICONE JOINT SEALANT	5,253.00	LF
821001	MOD.EXISTING BR.STR(BR NO 05290)	1.00	L.S.
821002	MOD.EXISTING BR.STR(BR NO 06732)	1.00	L.S.
821003	MOD.EXISTING BR.STR(BR NO 05064)	1.00	L.S.
821004	MOD.EXISTING BR.STR(BR NO A6475)	1.00	L.S.
821005	MOD.EXISTING BR.STR(BR NO B6475)	1.00	L.S.
821006	MOD.EXISTING BR.STR(BR NO A6476)	1.00	L.S.
821007	MOD.EXISTING BR.STR(BR NO B6476)	1.00	L.S.
821008	MOD.EXISTING BR.STR(BR NO A6477)	1.00	L.S.

821009	MOD.EXISTING BR.STR(BR NO B6477)	1.00	L.S.
821010	MOD.EXISTING BR.STR(BR NO A6478)	1.00	L.S.
821027	MOD.EXISTING BR.STR(BR NO B6478)	1.00	L.S.
821028	MOD.EXISTING BR.STR(BR NO O6585)	1.00	L.S.
821029	MOD.EXISTING BR.STR(BR NO O6059)	1.00	L.S.
821030	MOD.EXISTING BR.STR(BR NO O5769)	1.00	L.S.
821031	MOD.EXISTING BR.STR(BR NO O6512)	1.00	L.S.
821032	MOD.EXISTING BR.STR(BR NO O6798)	1.00	L.S.
822011	BRIDGE DECK REPAIR FOR POLYMER OVERLAYS	71,056.80	SQFT
822020	POLYMER OVERLAY	161,522.60	SQYD

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT ON OR BEFORE August 18, 2023.

THE NUMBER OF TRAINEES REQUIRED FOR THIS PROJECT IS 1.

THE PERCENTAGE GOAL FOR DISADVANTAGED BUSINESS ENTERPRISE (DBE) PARTICIPATION IN THIS PROJECT IS 3.0%.

ARKANSAS DEPARTMENT OF TRANSPORTATION

C26006

MOUNTAIN PINE OVERLAY NO. 2 (S)

STATE AID CITY JOB (CODE 9971)

THE PURPOSE OF THIS PROJECT IS TO OVERLAY APPROXIMATELY 1.37 MILES OF VARIOUS CITY STREETS IN THE CITY OF MOUNTAIN PINE IN GARLAND COUNTY. THIS PROJECT CONSISTS OF BORROW, ACHM SURFACE COURSE, ACHM PATCHING OF EXISTING ROADWAY, MAINTENANCE OF TRAFFIC, AND MISC. ITEMS.

ROUTES: VARIOUS

COUNTY: GARLAND

LENGTH: 1.37 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

210401	BORROW	311.00	CUYD
401011	TACK COAT	1,972.00	GAL
407161	MA IN ACHM SURFACE(3/8")	1,985.00	TON
407431	AB(PG64-22)ACHM SURF(3/8")	116.00	TON
415011	ACHM PATCH.EXIST.RDWY.	110.00	TON
601001	MOBILIZATION	1.00	L.S.
603001	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	204.00	SQFT

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT WITHIN TWENTY (20) WORKING DAYS.

ARKANSAS DEPARTMENT OF TRANSPORTATION

C66004

HORATIO & LOCKESBURG OVERLAY (S)

STATE AID CITY JOB (CODE 9971)

THE PURPOSE OF THIS PROJECT IS TO OVERLAY APPROXIMATELY 1.17 MILES OF VARIOUS CITY STREETS IN THE CITY OF HORATIO AND APPROXIMATELY 1.14 MILES OF VARIOUS CITY STREETS IN THE CITY OF LOCKESBURG IN SEVIER COUNTY. THIS PROJECT CONSISTS OF AGGREGATE BASE COURSE, ACHM SURFACE COURSE, COLD MILLING ASPHALT PAVEMENT, ACHM PATCHING OF EXISTING ROADWAY, MAINTENANCE OF TRAFFIC, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: VARIOUS

COUNTY: SEVIER

LENGTH: 2.31 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

303107	AGGR.BASE COURSE(CLASS 7)	366.00	TON
401011	TACK COAT	2,939.00	GAL
407161	MA IN ACHM SURFACE(3/8")	2,953.00	TON
407431	AB(PG64-22)ACHM SURF(3/8")	175.00	TON
412001	COLD MILLING ASPHALT PVMT.	647.00	SQYD
415011	ACHM PATCH.EXIST.RDWY.	240.00	TON
601001	MOBILIZATION	1.00	L.S.
603001	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	260.00	SQFT
718101	REFL.PAINT PVMT.MRK.YL(4")	10,348.00	LF

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT WITHIN THIRTY (30) WORKING DAYS.

ARKANSAS DEPARTMENT OF TRANSPORTATION

C76064

MCCASKILL & MURFREESBORO OVERLAY & SURFACING (S)

STATE AID CITY JOB (CODE 9971)

THE PURPOSE OF THIS PROJECT IS TO OVERLAY APPROXIMATELY 1.17 MILES OF VARIOUS CITY STREETS IN THE CITY OF MCCASKILL IN HEMPSTEAD COUNTY AND OVERLAY APPROXIMATELY 1.44 MILES OF VARIOUS CITY STREETS IN THE CITY OF MURFREESBORO IN PIKE COUNTY. THIS PROJECT CONSISTS OF SOIL STABILIZATION, AGGREGATE BASE COURSE, RECONSTRUCTED BASE COURSE, ACHM SURFACE COURSE, COLD MILLING ASPHALT PAVEMENT, ACHM PATCHING OF EXISTING ROADWAY, MAINTENANCE OF TRAFFIC, STANDARD SIGN, AND MISC ITEMS.

ROUTES: VARIOUS

COUNTY: HEMPSTEAD & PIKE

LENGTH: 2.61 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

210702	SOIL STABILIZATION	20.00	TON
303107	AGGR.BASE COURSE(CLASS 7)	1,435.00	TON
305001	RECONSTRUCTED BASE COURSE	19.00	STA
401011	TACK COAT	2,474.00	GAL
407161	MA IN ACHM SURFACE(3/8")	2,751.00	TON
407431	AB(PG64-22)ACHM SURF(3/8")	163.00	TON
412001	COLD MILLING ASPHALT PVMT.	450.00	SQYD
415011	ACHM PATCH.EXIST.RDWY.	125.00	TON
601001	MOBILIZATION	1.00	L.S.
603001	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	288.00	SQFT
726001	STANDARD SIGN	24.00	SQFT
729003	CHANNEL POST SIGN SUPPORT-C	4.00	EACH

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT WITHIN THIRTY (30) WORKING DAYS.

ARKANSAS DEPARTMENT OF TRANSPORTATION

C76065

GILLHAM, GRANNIS, & HATFIELD OVERLAY (S)

STATE AID CITY JOB (CODE 9971)

THE PURPOSE OF THIS PROJECT IS TO OVERLAY APPROXIMATELY 1.03 MILES OF VARIOUS CITY STREETS IN THE CITY OF GILLHAM IN SEVIER COUNTY, APPROXIMATELY 1.00 MILES OF VARIOUS CITY STREETS IN THE CITY OF GRANNIS AND 0.83 MILE OF VARIOUS CITY STREETS IN THE CITY OF HATFIELD IN POLK COUNTY. THIS PROJECT CONSISTS OF SHAPING DITCH, TRENCHING AND SHOULDER PREPARATION, AGGREGATE BASE COURSE, ACHM BINDER AND SURFACE COURSES, COLD MILLING ASPHALT PAVEMENT, ACHM PATCHING OF EXISTING ROADWAY, MAINTENANCE OF TRAFFIC, AND MISC. ITEMS

ROUTES: VARIOUS

COUNTY: POLK & SEVIER

LENGTH: 2.86 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

210322	SHAPING DITCH	19.00	STA
215001	TRENCH.AND SHOULDER PREP.	27.00	STA
303107	AGGR.BASE COURSE(CLASS 7)	453.00	TON
401011	TACK COAT	3,935.00	GAL
406161	M.A. IN ACHM BINDER(1")	725.00	TON
406402	A.B.(PG64-22)ACHM BINDER(1")	35.00	TON
407161	MA IN ACHM SURFACE(3/8")	3,573.00	TON
407431	AB(PG64-22)ACHM SURF(3/8")	228.00	TON
412001	COLD MILLING ASPHALT PVMT.	860.00	SQYD
415011	ACHM PATCH.EXIST.RDWY.	585.00	TON
601001	MOBILIZATION	1.00	L.S.
603001	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	360.00	SQFT
620001	LIME	1.00	TON
620011	SEEDING	0.21	ACRE
620022	MULCH COVER	0.21	ACRE
620030	WATER	21.50	MGAL

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT WITHIN SEVENTY (70) WORKING DAYS.

ARKANSAS DEPARTMENT OF TRANSPORTATION

SA0143

HWY. 44 – SOUTH (OVERLAY) (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO OVERLAY APPROXIMATELY 1.10 MILES OF COUNTY ROAD 96 IN ARKANSAS COUNTY. THIS PROJECT CONSISTS OF AGGREGATE BASE COURSE, ACHM SURFACE COURSE, ACHM PATCHING OF EXISTING ROADWAY, MAINTENANCE OF TRAFFIC, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: CR 96

COUNTY: ARKANSAS

LENGTH: 1.10 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

303107	AGGR.BASE COURSE(CLASS 7)	174.00	TON
401011	TACK COAT	1,678.00	GAL
407162	MA IN ACHM SURFACE(1/2")	1,832.00	TON
407432	AB(PG64-22)ACHM SURF(1/2")	98.00	TON
415011	ACHM PATCH.EXIST.RDWY.	50.00	TON
601001	MOBILIZATION	1.00	L.S.
603001	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	152.00	SQFT
718101	REFL.PAINT PVMT.MRK.YL(4")	4,504.00	LF

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT WITHIN TWENTY (20) WORKING DAYS.

ARKANSAS DEPARTMENT OF TRANSPORTATION

SA2547

FULTON CO. OVERLAY NO. 3 (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO OVERLAY APPROXIMATELY 0.9 MILE OF COUNTY ROAD 37 AND 1.35 MILES OF COUNTY ROAD 32 IN FULTON COUNTY. THIS PROJECT CONSISTS OF AGGREGATE BASE COURSE, ACHM SURFACE COURSE, MAINTENANCE OF TRAFFIC, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: CRS 32 & 37

COUNTY: FULTON

LENGTH: 2.25 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

303107	AGGR.BASE COURSE(CLASS 7)	356.00	TON
401011	TACK COAT	2,706.00	GAL
407162	MA IN ACHM SURFACE(1/2")	3,121.00	TON
407432	AB(PG64-22)ACHM SURF(1/2")	175.00	TON
601001	MOBILIZATION	1.00	L.S.
603001	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	306.00	SQFT
718101	REFL.PAINT PVMT.MRK.YL(4")	23,760.00	LF

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT WITHIN TWENTY (20) WORKING DAYS.

ARKANSAS DEPARTMENT OF TRANSPORTATION

SA3277

INDEPENDENCE CO. OVERLAY NO. 6 (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO OVERLAY APPROXIMATELY 2.74 MILES OF COUNTY ROADS 24 AND 56 IN INDEPENDENCE COUNTY. THIS PROJECT CONSISTS OF ACHM SURFACE COURSE, ACHM PATCHING OF EXISTING ROADWAY, MAINTENANCE OF TRAFFIC, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: CRS 24 & 56

COUNTY: INDEPENDENCE

LENGTH: 2.74 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

401011	TACK COAT	3,093.00	GAL
407161	MA IN ACHM SURFACE(3/8")	3,294.00	TON
407431	AB(PG64-22)ACHM SURF(3/8")	195.00	TON
415011	ACHM PATCH.EXIST.RDWY.	30.00	TON
601001	MOBILIZATION	1.00	L.S.
603001	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	324.00	SQFT
718101	REFL.PAINT PVMT.MRK.YL(4")	29,040.00	LF
726002	STANDARD SIGN	24.50	SQFT
729001	CHANNEL POST SIGN SUPPORT-A	2.00	EACH
729003	CHANNEL POST SIGN SUPPORT-C	4.00	EACH

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT WITHIN TWENTY-FIVE (25) WORKING DAYS.

ARKANSAS DEPARTMENT OF TRANSPORTATION

SA3548

CO. RD. 31 OVERLAY (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO OVERLAY APPROXIMATELY 2.79 MILES OF COUNTY ROAD 31 IN JEFFERSON COUNTY. THIS PROJECT CONSISTS OF AGGREGATE BASE COURSE, ACHM SURFACE COURSE, COLD MILLING ASPHALT PAVEMENT, ACHM PATCHING OF EXISTING ROADWAY, MAINTENANCE OF TRAFFIC, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: CR 31

COUNTY: JEFFERSON

LENGTH: 2.79 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

303107	AGGR.BASE COURSE(CLASS 7)	442.00	TON
401011	TACK COAT	3,215.00	GAL
407162	MA IN ACHM SURFACE(1/2")	3,934.00	TON
407432	AB(PG64-22)ACHM SURF(1/2")	211.00	TON
412001	COLD MILLING ASPHALT PVMT.	700.00	SQYD
415011	ACHM PATCH.EXIST.RDWY.	30.00	TON
601001	MOBILIZATION	1.00	L.S.
603001	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	148.00	SQFT
718001	REFL.PAINT PVMT.MRK.WH(4")	29,780.00	LF
718101	REFL.PAINT PVMT.MRK.YL(4")	23,265.00	LF
726002	STANDARD SIGN	60.50	SQFT
729001	CHANNEL POST SIGN SUPPORT-A	2.00	EACH
729003	CHANNEL POST SIGN SUPPORT-C	14.00	EACH

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT WITHIN TWENTY-FIVE (25) WORKING DAYS.

ARKANSAS DEPARTMENT OF TRANSPORTATION

SA5031

HWY. 371 – WEST (OVERLAY & SURF.) (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO BASE AND SURFACE APPROXIMATELY 1.19 MILES OF COUNTY ROAD 51 IN NEVADA COUNTY. THIS PROJECT CONSISTS OF AGGREGATE BASE COURSE, RECONSTRUCTED BASE COURSE, ACHM SURFACE COURSE, ACHM PATCHING OF EXISTING ROADWAY, MAINTENANCE OF TRAFFIC, REFLECTORIZED PAINT PAVEMENT MARKING, STANDARD SIGN, AND MISC. ITEMS.

ROUTES: CR 51

COUNTY: NEVADA

LENGTH: 1.19 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

303107	AGGR.BASE COURSE(CLASS 7)	401.00	TON
305001	RECONSTRUCTED BASE COURSE	11.00	STA
401011	TACK COAT	1,087.00	GAL
407162	MA IN ACHM SURFACE(1/2")	1,485.00	TON
407432	AB(PG64-22)ACHM SURF(1/2")	80.00	TON
415011	ACHM PATCH.EXIST.RDWY.	100.00	TON
601001	MOBILIZATION	1.00	L.S.
603001	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	116.00	SQFT
718101	REFL.PAINT PVMT.MRK.YL(4")	12,672.00	LF
726002	STANDARD SIGN	12.00	SQFT
729003	CHANNEL POST SIGN SUPPORT-C	4.00	EACH

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT WITHIN TWENTY (20) WORKING DAYS.

ARKANSAS DEPARTMENT OF TRANSPORTATION

SA5350

PERRY CO. LEVEL & RESEAL (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO LEVEL AND RESEAL APPROXIMATELY 3.30 MILES OF COUNTY ROAD 42 AND 3.15 MILES OF COUNTY ROAD 45 IN PERRY COUNTY. THIS PROJECT CONSISTS OF ASPHALT SURFACE TREATMENT, ACHM SURFACE COURSE, MAINTENANCE OF TRAFFIC, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: CRS 42 & 45

COUNTY: PERRY

LENGTH: 6.45 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

303308	AGGREGATE SURFACE COURSE (CLASS D-8)	100.00	TON
401011	TACK COAT	554.00	GAL
402102	MINERAL AGGR.IN A.S.T.(CL2)	1,320.00	TON
402204	PLY.MOD.CAT.EMLS.ASPH.(CRS2P)(SLD.PLY.)	30,182.00	GAL
407161	MA IN ACHM SURFACE(3/8")	386.00	TON
407431	AB(PG64-22)ACHM SURF(3/8")	24.00	TON
601001	MOBILIZATION	1.00	L.S.
603001	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	306.00	SQFT
718101	REFL.PAINT PVMT.MRK.YL(4")	60,352.00	LF
726002	STANDARD SIGN	120.00	SQFT
729003	CHANNEL POST SIGN SUPPORT-C	28.00	EACH

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT ON OR BEFORE October 14, 2022.

ARKANSAS DEPARTMENT OF TRANSPORTATION

SA7397

WHITE COUNTY OVERLAY NO. 5 (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO OVERLAY APPROXIMATELY 4.32 MILES OF COUNTY ROADS 12, 75, AND 90 IN WHITE COUNTY. THIS PROJECT CONSISTS OF AGGREGATE BASE COURSE, ACHM SURFACE COURSE, MAINTENANCE OF TRAFFIC, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: CRS 12, 75, & 90

COUNTY: WHITE

LENGTH: 4.32 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

303107	AGGR.BASE COURSE(CLASS 7)	684.00	TON
401011	TACK COAT	5,487.00	GAL
407162	MA IN ACHM SURFACE(1/2")	6,274.00	TON
407432	AB(PG64-22)ACHM SURF(1/2")	351.00	TON
601001	MOBILIZATION	1.00	L.S.
603001	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	466.00	SQFT
718001	REFL.PAINT PVMT.MRK.WH(4")	45,620.00	LF
718101	REFL.PAINT PVMT.MRK.YL(4")	32,082.00	LF

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT WITHIN TWENTY-FIVE (25) WORKING DAYS.